

Product Bulletin

Concept[®] 109 Scratch Resistant Vinyl Overlay Film

A 5.0 mil clear rigid calendared vinyl film with a slight texture designed for use as a protective overlay. This vinyl overlay film should be considered as an inexpensive alternative to polycarbonate overlay. Adhesive 200-5025 is a permanent acrylic pressure sensitive adhesive formulated for exceptional clarity. This product is supplied on a 1.5 mil polyester clear liner designed to provide extremely smooth adhesive coating.

Applications Scratch resistant vinyl is intended for use as the overlaminating film to produce mouse pads, counter mats, decal and display overlay. The adhesive is formulated to adhere to most common printing inks. However, specific formulations must be tested before use. Some inks may contain excessive flow additives that could reduce adhesion of this product. Test before production.

Slip Resistance Concept[®] 109 is classified under UL 410 for floor graphics overlay applications

Thickness	Film	5.0 mils.
	Adhesive	1.3 to 1.7 mils.
	Liner	1.5 mils.
	(Thickness variation +/- 10%)	

Dimensional Stability Good.

Temperature Ranges	Minimum application temperature	+40°F.
	Service temperature range	-40°F to +200°F.

Expected Exterior Exposure This product is designed for interior applications. Exterior resistance has not been determined.

Adhesion To stainless steel 40 oz/in.
Tested according to PSTC-101 Method A with 24-hour dwell at 70°F and 50% relative humidity. Typical values. Individual values may vary.
Test thoroughly before production.

Storage Stability One year shelf life when stored at 70°F and 50% relative humidity.

Product Codes	109-38	(38" X 150' roll)
	109-51	(51" X 150' roll)
	109-54	(54" X 150' roll)



**Manufacturer of Pressure Sensitive Films,
Traffic Graffice Floor Advertising Films,
Custom Coatings and Printing Inks.**

309 S. Union • P.O. Box 158 • Sparta, Michigan 49345 • (616) 887-7387 • (800)253-3664 • FAX (616)887-0537
Web Site: www.generalformulations.com • e-mail: gfiinfo@generalformulations.com

We believe the information on this product to be accurate. However, since we cannot anticipate or control the conditions under which this information or our products may be used, we cannot guarantee results obtained through their use. Tests of our products should be made by users to determine the suitability of these products for a specific purpose. The products are sold without warranty, either express or implied. The purchaser should refer to General Formulations, Inc's Price List for Terms and Conditions or Sale, Including Disclaimer of Warranties and Limitation of Liability.